

Junction Boxes & Accessories

A first class range of essential wiring accessories required for any installation




Range Content



Junction Boxes



Metal Boxes



Dry Lining Boxes



Flex Connectors

Junction Boxes

JUNCTION BOXES - SELECTIVE ENTRY

Catalogue Number	Description	Carton Qty
604	4 way 20 amp 80mm diameter (3 $\frac{1}{4}$ ") brown	10
604W	4 way 20 amp 80mm diameter (3 $\frac{1}{4}$ ") white	10
603	3 way 30 amp 89mm diameter (3 $\frac{1}{2}$ ") brown	10
603W	3 way 30 amp 89mm diameter (3 $\frac{1}{2}$ ") white	10
606	6 way 20 amp 89mm diameter (3 $\frac{1}{2}$ ") brown	10
606W	6 way 20 amp 89mm diameter (3 $\frac{1}{2}$ ") white	10

- Manufactured to BS 6220
- Selective entries indicated by numbers and symbols on rotating cover
- Lower lip of entries can easily be knocked out to take twin cables
- Rear entry knockouts in base to facilitate ease of wiring
- Suitable for unbroken ring wire installations
- Moulded in brown or white urea
- Robust, generous capacity slot terminals with large grub screws



JUNCTION BOXES - KNOCKOUT ENTRY

Catalogue Number	Description	Carton Qty
491	4 way 20 amp 57mm diameter (2 $\frac{1}{4}$ ") brown	20
491W	4 way 20 amp 57mm diameter (2 $\frac{1}{4}$ ") white	20

- Manufactured to BS 6220
- Small and unobtrusive
- Suitable for unbroken ring wire installations
- Moulded in brown or white urea
- Robust, generous capacity slot terminals with large grub screws



JUNCTION BOXES - HEAVY DUTY

Catalogue Number	Description	Carton Qty
4100SP	3-way 100 amp single pole	10
4100DP	3-way 100 amp double pole	5
460	3-way 60 amp	5

- Manufactured to BS 5733
- High amperage connector blocks
- Brass terminal block
- Robust, generous capacity slot terminals with large grub screws
- Moulded in brown urea
- Approved to VDE 0606




Junction Boxes



JUNCTION BOXES - LIGHTING

Catalogue Number	Description	Carton Qty
403	3-way 3 amp	10
405	3-way 5 amp	10
410	3-way 10 amp	10

- Manufactured to BS 5733
- Ideal for use in lighting applications
- Approved BS EN 60998 terminal block
- Small and unobtrusive
- Mounting holes for horizontal and vertical fixing
- Approved to VDE 0606




CONNECTION COVER


Catalogue Number	Description	Carton Qty
401M	Master, suitable for 4-way terminal block	20
401S	Slave, suitable for 3-way terminal block	28

- For use with terminal strips up to 30 amp
- 3 part, easy assemble connection cover
- Auto cable restraint - 75% quicker to install than similar products
- White colour for ease of location in areas of low light
- Made in the UK from reclaimed materials
- Conforms to all relevant local and national regulations
- V2 fire rating
- Supplied in a counter display carton
- * terminal strips not included


EASY TO INSTALL:




Step 1
Remove lids




Step 2
Place electrical connection on to base



Step 3
Insert lids



Step 4
Close lid A & hold in position whilst closing lid B



Step 5
Clip the lid shut. Use optional screw if required

Wiring Accessories

STEEL KNOCKOUT BOXES

Catalogue Number	Description	Carton Qty
HGS01	1 gang 16mm (20 pcs per pack)	200
HGS02	1 gang 25mm (10 pcs per pack)	100
HGS03	1 gang 35mm (10 pcs per pack)	100
HGS04	2 gang 25mm (5 pcs per pack)	50
HGS05	2 gang 35mm (5 pcs per pack)	50
HGS06	1 gang 47mm (10 pcs per pack)	100
HGS07	2 gang 47mm (5 pcs per pack)	50
HGS08	dual 35mm (5 pcs per pack)	100
GRRB20/10-BG	20mm rubber grommet (10 pcs per pack)	20pks

- Manufactured to BS 4662



DRY LINING BOXES

Catalogue Number	Description	Carton Qty
907	1 gang 35mm	10
908	2 gang 35mm	5
916	Dual 35mm	5
917	1 gang 47mm	10
918	2 gang 47mm	5
919	Round 35mm	10
920	Triple 35mm, 1 and 2 gang	5

- Manufactured to BS 5733



DRY LINING BOXES - WITH INTUMESCENT GASKET

Catalogue Number	Description	Carton Qty
907FP	1 gang 35mm dry lining box with intumescent gasket	10
908FP	2 gang 35mm dry lining box with intumescent gasket	5
916FP	Dual 35mm dry lining box with intumescent gasket	5
917FP	1 gang 47mm dry lining box with intumescent gasket	10
918FP	2 gang 47mm dry lining box with intumescent gasket	5

- Meets the 17th edition IEE & Document B of the UK Building Regulations
- Expands in a fire to act as a fully resistant fire barrier

Wiring Accessories



452

458

FLEX CONNECTORS

Catalogue Number	Description	Carton Qty
452	10A, 3-pin shrouded non-reversible male and female	20
458	13A, 3-pin solid brass block through terminals	20

- Manufactured to BS 5733
- Brass slotted head terminal screws
- 2 plastic cable restraints retained by plated - steel slotted head screws



TS5

CONNECTOR STRIPS

Catalogue Number	Description	Pack Qty	Carton Qty
TS5	5A 12 way connector strip in packs of 10	10	1000
TS15	15A 12 way connector strip in packs of 10	10	500
TS30	30A 12 way connector strip in packs of 10	10	200
TS60	60A 12 way connector strip in packs of 10	10	100

- 380 Volts
- Captive brass screws & terminals, made in polyethylene
- H type
- Maximum working temperature 140°C
- CE marked
- Tested to BS EN 60998-1 & BS EN 609982-1



EC151

EARTH CLAMPS

Catalogue Number	Description	Pack Qty	Carton Qty
EC141	Internal earthing clamp	10	1000
EC142	Internal earthing clamp	10	1000
EC151	Internal/external earthing clamp	10	1000
EC152	Internal/external earthing clamp	10	1000

- BS 951
- Pipe diameter EC141-01 & EC151-01 12-32mm
- Pipe diameter EC142-01 & EC152-01 32-50mm



FUSES

FUSES - BULK PACK

Catalogue Number	Description	Carton Qty
F103	3 amp fuses in packs of 10	10pks
F105	5 amp fuses in packs of 10	10pks
F1010	10 amp fuses in packs of 10	10pks
F1013	13 amp fuses in packs of 10	10pks

- Manufactured to BS 1362